

**Amendments to the claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of claims:**

1-5. (CANCELED)

6. (Previously Presented) The isolated polypeptide of claim 11, wherein said polypeptide specifically binds to an antibody raised against Saposin B.

7. (Previously Presented) An isolated polypeptide consisting of an amino acid sequence which is a part of SEQ ID NO:2 wherein said polypeptide begins with amino acids 2-6 (DVCQD) of SEQ ID NO:2, wherein the polypeptide has antiangiogenic activity, and wherein the polypeptide is between 5 and 80 amino acids in length.

8-9. (CANCELED)

10. (Previously Presented) The isolated polypeptide of claim 11, wherein said polypeptide is glycosylated.

11. (Currently Amended) An isolated polypeptide consisting of the sequence R-XDVCQD-R' (SEQ ID NO:45), wherein the polypeptide has antiangiogenic activity, and wherein:

R is selected from the group consisting of Aa<sub>1</sub>-Aa<sub>2</sub>-Aa<sub>3</sub>-Aa<sub>4</sub>-Aa<sub>5</sub>, Aa<sub>2</sub>-Aa<sub>3</sub>-Aa<sub>4</sub>-Aa<sub>5</sub>, Aa<sub>3</sub>-Aa<sub>4</sub>-Aa<sub>5</sub>, Aa<sub>4</sub>-Aa<sub>5</sub> and Aa<sub>5</sub>, or is absent, wherein:

Aa<sub>1</sub> is glutamine;

Aa<sub>2</sub> is proline;

Aa<sub>3</sub> is lysine;

Aa<sub>4</sub> is aspartic acid; ~~or~~ and

Aa<sub>5</sub> is asparagine; and,

X is selected from the group consisting of glycine, alanine, serine and threonine, or is absent when R is absent; and,

R' is from 0 to about 59 contiguous amino acids.

12-16. (CANCELED)

17. (Previously Presented) The isolated polypeptide of claim 11, wherein R' is selected from the group consisting of Aa<sub>12</sub>-Aa<sub>13</sub>-Aa<sub>14</sub>-Aa<sub>15</sub>-Aa<sub>16</sub>, Aa<sub>12</sub>-Aa<sub>13</sub>-Aa<sub>14</sub>-Aa<sub>15</sub>, Aa<sub>12</sub>-Aa<sub>13</sub>-Aa<sub>14</sub>, Aa<sub>12</sub>-Aa<sub>13</sub> and Aa<sub>12</sub>, wherein Aa<sub>12</sub>, Aa<sub>13</sub>, Aa<sub>14</sub>, Aa<sub>15</sub> and Aa<sub>16</sub> are selected from the group consisting of amino acids.

18. (Previously Presented) The isolated polypeptide of claim 17, wherein Aa<sub>12</sub> is a cysteine.

19. (Previously Presented) The isolated polypeptide of claim 17, wherein Aa<sub>13</sub> is an isoleucine.

20. (Previously Presented) The isolated polypeptide of claim 17, wherein Aa<sub>14</sub> is a glutamine.

21. (Previously Presented) The isolated polypeptide of claim 17, wherein Aa<sub>15</sub> is a methionine.

22. (Previously Presented) The isolated polypeptide of claim 17, wherein Aa<sub>16</sub> is a valine.

23-28. (CANCELED)

29. (Previously Presented) A method of treating a mammal, wherein said mammal has a pathological condition associated with undesired angiogenesis, by administering an amount of the isolated polypeptide of claim 11 wherein said amount of polypeptide is effective to reduce angiogenesis.

30. (Previously Presented) The method of claim 29, wherein the mammal is human.

31. (Previously Presented) The method of claim 29, wherein said pathological condition is cancer.

32. (Previously Presented) The method of claim 31, wherein said cancer is Kaposi's Sarcoma.

33. (Previously Presented) The method of claim 29, wherein administration is selected from the group consisting of subcutaneous, intramuscular, intravenous, intra-arterial, intrabronchial, oral, transdermal, intraocular, rectal, vaginal, intranasal, sublingual and intralesional.

34. (Previously Presented) The method of claim 33, wherein the administration is selected from the group consisting of intralesional and transdermal.

35. (CANCELED)

36. (Previously Presented) The method of claim 29, wherein said therapeutic amount is from about 0.1 mg/kg to about 20 mg/kg.

37. (Previously Presented) A pharmaceutical composition in unit dosage form, comprising:

- (a) one or more pharmaceutically acceptable excipients, and
- (b) an amount of the isolated polypeptide of claim 11, wherein the polypeptide is effective to treat or prevent undesired angiogenesis in an animal or patient to whom one or more unit doses of said composition are administered.

38. (Previously Presented) The pharmaceutical composition of claim 37, wherein said unit dosage form is an aseptic solution comprising said polypeptide.

39. (Previously Presented) The pharmaceutical composition of claim 37, wherein said unit dosage form is a topical ointment comprising said polypeptide.

40. (Previously Presented) An isolated fusion protein, said fusion protein comprising the isolated polypeptide of claim 11 and a cell targeting moiety, wherein said cell targeting moiety and said polypeptide have functional activity independent of each other.

41. (Previously Presented) The isolated fusion protein of claim 40, wherein said cell targeting moiety is a protein.

42. (Previously Presented) The isolated fusion protein of claim 41, wherein said protein is an antibody.

43. (Previously Presented) The isolated fusion protein of claim 42, wherein said antibody is a monoclonal antibody.

44. (Previously Presented) The isolated fusion protein of claim 43, wherein said antibody is a single chain Fv antibody.

Appl. No. 09/743,684  
Amdt. Dated August 6, 2007  
Reply to Office Action of April 5, 2007

Attorney Docket No. 89188.0130  
Customer No.: 26021

45-54. (CANCELED)

55. (Currently Amended) The An isolated polypeptide of ~~claim 11~~, consisting of the amino acid sequence of SEQ ID NO:13, 19, 21, 24, 25, 26, ~~or 27~~, or 33.